

## Natural Language Processing in Welding Processes

**Acoustic Emission (AE)** – Concept: A non-destructive testing method that captures transient elastic waves generated by rapid energy releases in a material. Related terms: ultrasonic testing, vibration analysis, signal processing. Explanation: In welding, AE sensors placed near the joint detect crack formation, porosity, or lack of fusion as acoustic bursts. Example: During a robotic GMAW (gas metal arc welding) pass, an AE sensor records a spike when a micro-crack initiates, prompting the controller to pause and re-heat the area. Practical application: AE data streams are fed into an NLP pipeline that transcribes sensor logs into structured text, enabling automatic indexing and retrieval of defect events. Challenges: AE signals are noisy, require robust preprocessing, and the textual descriptions must capture nuanced temporal information without ambiguity.

**Annotation** – Concept: The process of adding metadata, labels, or comments to raw data to create a training corpus. Related terms: labeling, ground truth, annotation schema. Explanation: For welding process NLP, annotators tag sentences such as “increase wire feed speed” with intent categories (e.G., parameter adjustment) and entity types (e.G., wire feed speed). Example: A technical manual sentence “Set the torch angle to 70°” receives two annotations – an action intent “set\_angle” and a numeric value “70°”. Practical application: Annotated corpora support supervised learning for intent classification and slot-filling models that drive adaptive welding controllers. Challenges: Achieving inter-annotator agreement is difficult because welding terminology can be highly domain-specific and context-dependent.

**Architecture (NLP)** – Concept: The overall design of a natural language processing system, including layers, modules, and data flow. Related terms: encoder-decoder, transformer, pipeline. Explanation: An architecture for welding process assistance might combine a speech-to-text front end, a domain-specific transformer for intent detection, and a rule-based generator for corrective commands. Example: A voice-controlled welding robot uses a wav2vec 2.0 Encoder, passes the transcript to a BERT-based model fine-tuned on welding manuals, and outputs a JSON command to the PLC (programmable logic controller). Practical application: Modular architecture enables swapping components (e.G., Replacing the ASR engine) without redesigning the entire system. Challenges: Balancing real-time latency with model size, and integrating safety-critical control loops that cannot tolerate misinterpretations.

**Automatic Speech Recognition (ASR)** – Concept: Technology that converts spoken language into written text. Related terms: voice command, speech-to-text, acoustic model. Explanation: In the welding shop floor, operators issue verbal directives such as “increase amperage by ten percent”. The ASR engine transcribes the utterance, which is then parsed by downstream NLP components. Example: A handheld microphone connected to a welding robot captures “activate pulse-mode welding”, and the ASR system outputs the exact phrase with a confidence score of 0.94. Practical application: Hands-free control improves safety by reducing the need for manual button presses near hot work. Challenges: High-noise environments, metal clanging, and overlapping speech degrade ASR accuracy; domain-specific vocabularies (e.G., “MIG”, “TIG”) often require custom lexicons.

**Beam Welding** – Concept: A family of welding processes that use a focused beam of electromagnetic energy (laser or electron) to join materials. Related terms: laser welding, electron beam welding, heat source. Explanation: Beam welding generates precise, deep penetration welds with minimal heat-affected zone. NLP can be used to parse procedural documents that specify beam parameters like power, speed, and focus offset. Example: The instruction “Set laser power to 3 kW and travel speed to 120 mm/s” is extracted, and a control system automatically configures the laser head. Practical application: Automated generation of CNC (computer-numerical-control) code from natural language reduces programming errors. Challenges: Translating ambiguous textual descriptions (e.G., “Moderate speed”) into exact numeric values requires contextual inference and possibly a lookup table.

**Bidirectional Encoder Representations from Transformers (BERT)** – Concept: A pre-trained language model that captures context from both left and right of a token. Related terms: pre-training, fine-tuning, masked language modeling. Explanation: BERT can be fine-tuned on a welding corpus to understand technical jargon, such as “argon shielding” or “interpass temperature”. Example: After fine-tuning, BERT correctly classifies the sentence “Reduce interpass temperature to 250 °C” as a temperature control intent with high precision. Practical application: Improves the accuracy of question-answering systems that assist welders in troubleshooting. Challenges: Large memory footprint may hinder deployment on edge devices; domain-specific vocabulary may require additional token embeddings.

**Corpus** – Concept: A structured collection of texts used for linguistic analysis or model training. Related terms: dataset, text repository, domain corpus. Explanation: A welding NLP corpus may include technical manuals, safety datasheets, operator logs, and maintenance records. Example: A 200 MB corpus containing 15 000 sentences from the American Welding Society’s standards is used to train a named-entity recognizer for welding parameters. Practical application: Enables statistical analysis of term frequencies, co-occurrence patterns, and phraseology unique to welding. Challenges: Gathering proprietary documents while respecting confidentiality, and ensuring the corpus is balanced across different welding processes (MIG, TIG, SMAW, etc.).

**Domain Adaptation** – Concept: Techniques that transfer a model trained on a source domain to perform well on a target domain with different characteristics. Related terms: transfer learning, fine-tuning, domain shift. Explanation: A language model pre-trained on general engineering texts may not capture welding-specific semantics; domain adaptation bridges this gap. Example: Using a small annotated welding dataset, the model’s last few layers are re-trained, resulting in a 12% boost in intent classification accuracy for “torch positioning”. Practical application: Reduces the amount of labeled welding data required for high-performance NLP. Challenges: Over-fitting to limited target data, and detecting when a new document belongs to a previously unseen sub-domain (e.G., Additive manufacturing welding).

**Entity Recognition (NER)** – Concept: The task of identifying and classifying named entities (e.G., Quantities, equipment) in text. Related terms: slot filling, information extraction, type tagging. Explanation: In welding documentation, NER extracts entities such as amperage, wire feed speed, and shielding gas composition. Example: From the sentence “Use 98 % argon with 2 % CO<sub>2</sub> at a flow rate of 15 L/min”, the NER system tags “argon” as `shielding_gas`, “2 %” as `gas_ratio`, and “15 L/min” as `flow_rate`. Practical application: Populates parameter databases automatically, enabling rapid generation of welding procedure specifications (WPS).

Challenges: Ambiguity in units (e.G., “Mm” vs “in”), and handling compound entities like “dual-shielded flux-cored wire”.

Feedback Loop (NLP-Control) – Concept: A closed-system where NLP outputs influence the welding process, and sensor data feeds back to refine language models. Related terms: reinforcement learning, online learning, adaptive control. Explanation: When a weld robot receives a command “increase travel speed”, the controller implements the change, measures resulting bead geometry, and updates the NLP model’s confidence in similar future commands. Example: After several iterations, the system learns that “slightly faster” corresponds to a 5% increase in speed for a specific alloy thickness. Practical application: Continuous improvement of voice-driven welding without manual re-programming. Challenges: Ensuring safety; the loop must be bounded by hard limits to prevent hazardous parameter excursions.

Fine-Tuning – Concept: Adjusting a pre-trained model’s weights on a specific dataset to specialize its behavior. Related terms: transfer learning, parameter update, task-specific training. Explanation: A transformer model pre-trained on scientific literature is fine-tuned on welding manuals, allowing it to learn the unique syntax of welding instructions. Example: After 3 epochs of fine-tuning, the model correctly predicts the missing token in “Set the torch to 70°”. Practical application: Enables rapid deployment of high-accuracy models with limited domain data. Challenges: Selecting an appropriate learning rate to avoid catastrophic forgetting of general language knowledge.

Grammar Checking (Domain-Specific) – Concept: Automated verification of syntactic and semantic correctness within a specialized vocabulary. Related terms: spell-check, style guide, error detection. Explanation: Welding documents often contain terms like “pre-heat” and “post-weld heat-treatment” that generic grammar tools may flag as errors. Example: A custom grammar checker accepts “pre-heat” as a valid compound noun and suggests “pre-heat temperature” instead of “pre-heat temp”. Practical application: Assists technical writers in producing consistent, error-free manuals. Challenges: Maintaining an up-to-date lexicon as new processes (e.G., Friction stir welding) emerge.

Intent Classification – Concept: Determining the purpose behind a user’s utterance (e.G., Command, query, request). Related terms: dialogue act, semantic parsing, action detection. Explanation: In a welding context, intents may include parameter\_adjustment, process\_switch, diagnostic\_query. Example: The phrase “What’s the current weld bead width?” is classified as a diagnostic\_query, triggering a response that retrieves sensor data. Practical application: Enables conversational interfaces for weld monitoring stations. Challenges: Overlap between intents (e.G., “Increase current” vs “increase amperage”) requires disambiguation through context or clarification prompts.

Joint Probability Modeling – Concept: Estimating the likelihood of a sequence of words or tokens occurring together. Related terms: language model, n-gram, probabilistic parsing. Explanation: For welding instructions, joint probability helps predict the most plausible next token, reducing errors in auto-completion. Example: Given “Apply a of 2 mm”, the model assigns higher probability to “penetration” than “temperature” based on corpus statistics. Practical application: Improves typing efficiency in digital welding consoles. Challenges: Sparse data for rare technical phrases can lead to inaccurate probability estimates.

**Knowledge Graph – Concept:** A network of entities and their relationships, often represented as triples (subject-predicate-object). **Related terms:** ontology, semantic network, triple store. **Explanation:** A welding knowledge graph may encode facts such as (“MIG welding”, “uses”, “argon-CO<sub>2</sub> shielding”), (“interpass temperature”, “must be ≤”, “250 °C”). **Example:** A query “Which shielding gases are suitable for stainless steel?” Traverses the graph to retrieve “argon-hydrogen” and “argon-helium” nodes. **Practical application:** Supports decision-support systems that suggest optimal parameters based on material and joint geometry. **Challenges:** Keeping the graph synchronized with evolving standards and ensuring consistency across multiple data sources.

**Latent Semantic Analysis (LSA) – Concept:** A technique that reduces the dimensionality of term-document matrices to uncover hidden semantic relationships. **Related terms:** topic modeling, vector space model, SVD. **Explanation:** LSA applied to welding manuals can reveal clusters such as “pre-heat procedures” or “post-weld inspection”. **Example:** Terms like “temperature”, “pre-heat”, and “hold” appear in the same latent dimension, indicating a conceptual grouping. **Practical application:** Enables document clustering for quick retrieval of relevant sections during troubleshooting. **Challenges:** Interpreting latent topics without supervision may produce ambiguous groupings; the method also ignores word order, which can be important for procedural instructions.

**Machine Translation (MT) – Concept:** Automatic conversion of text from one language to another. **Related terms:** cross-lingual NLP, localization, neural MT. **Explanation:** Global welding firms often need manuals translated from English to Japanese, German, or Chinese while preserving technical accuracy. **Example:** A neural MT system fine-tuned on bilingual welding corpora translates “Set the torch angle to 70 degrees” into Japanese with the correct technical term “トーチ角度”. **Practical application:** Reduces time-to-market for safety documentation across regions. **Challenges:** Rare technical terms may be mistranslated; post-editing by domain experts remains necessary to ensure compliance.

**Named Entity (Domain-Specific) – Concept:** A concrete object or concept that appears in text and belongs to a predefined category. **Related terms:** entity type, slot, taxonomy. **Explanation:** In welding, entities include material\_grade (e.G., “AISI 304”), joint\_type (“butt joint”), and code\_section (“AWS D1.1”). **Example:** The sentence “For AISI 304, use a 2-mm filler” yields entities “AISI 304” → material\_grade, “2-mm” → filler\_thickness. **Practical application:** Populates electronic welding procedure specifications automatically. **Challenges:** Ambiguity when the same string can denote multiple categories (e.G., “304” Could be a temperature or a grade).

**Ontology (Welding) – Concept:** A formal representation of concepts within a domain and the relationships among them. **Related terms:** semantic schema, class hierarchy, RDF. **Explanation:** An ontology for welding defines classes such as Process, Parameter, Material, and properties like requires\_shielding\_gas. **Example:** The class GMAW has a property linking it to argon-CO<sub>2</sub> mixture. **Practical application:** Provides a shared vocabulary for NLP components, enabling consistent annotation and reasoning across tools. **Challenges:** Building and maintaining a comprehensive ontology requires collaboration between welding engineers and knowledge engineers.

**Part-of-Speech Tagging (POS) – Concept:** Assigning grammatical categories (noun, verb, adjective, etc.) To each token. **Related terms:** syntactic parsing, morphological analysis, token classification. **Explanation:**

Accurate POS tagging helps differentiate “weld” as a verb (“to weld”) from “weld” as a noun (“the weld”). Example: In “Inspect the weld for cracks”, POS tags identify “Inspect” as a verb (action) and “weld” as a noun (object). Practical application: Improves downstream intent detection by clarifying command structures. Challenges: Domain-specific usage (e.G., “Pulse” as a noun vs verb) can confuse generic POS taggers, requiring domain-adapted models.

Question Answering (QA) – Concept: Systems that respond to user queries with relevant information extracted from a knowledge base. Related terms: retrieval-augmented generation, reading comprehension, knowledge-base QA. Explanation: A welding QA system can answer “What is the recommended interpass temperature for 6 mm thick stainless steel?” By locating the relevant clause in a standards document. Example: The system returns “ $\leq 250^{\circ}\text{C}$ ” along with a citation to AWS D1.1 §5.3. Practical application: Provides on-site engineers with instant access to standards without manual search. Challenges: Ensuring answer provenance, handling ambiguous or multi-part questions, and keeping the underlying documents up-to-date.

Reinforcement Learning (RL) for Welding Control – Concept: Learning a policy that maximizes cumulative reward through interaction with the environment. Related terms: policy gradient, reward shaping, exploration-exploitation. Explanation: An RL agent receives natural-language commands, executes welding actions, and receives feedback based on bead quality metrics (e.G., Penetration depth). Example: After receiving “maintain a steady bead”, the agent adjusts travel speed and is rewarded when the sensor reports low variance in width. Practical application: Enables autonomous adaptation to new joint geometries guided by simple spoken instructions. Challenges: Safety constraints must be encoded as hard rewards; sparse feedback can slow convergence.

Sentence Embedding – Concept: A dense vector representation that captures the semantic meaning of an entire sentence. Related terms: semantic similarity, vector space, sentence-BERT. Explanation: Embeddings allow clustering of similar welding instructions, such as “increase amperage” and “raise current”. Example: Two sentences have cosine similarity of 0.92, indicating they belong to the same intent group. Practical application: Supports fuzzy matching when users phrase commands differently from the training data. Challenges: Embeddings may conflate distinct technical concepts if the training corpus lacks sufficient differentiation.

Semantic Role Labeling (SRL) – Concept: Identifying the predicate-argument structure of a sentence, labeling who did what to whom, when, and how. Related terms: predicate identification, argument classification, frame semantics. Explanation: In “Apply a 2 mm filler at 10 cm/s”, SRL tags “Apply” as the predicate, “a 2 mm filler” as the theme, and “at 10 cm/s” as the instrument. Example: The system extracts the action (apply), the object (filler), and the method (feed speed). Practical application: Enables more granular command parsing for robotic controllers. Challenges: Complex welding sentences with multiple clauses can produce overlapping or nested roles, requiring hierarchical SRL models.

Sentiment Analysis (Safety Context) – Concept: Determining the emotional tone or attitude expressed in text. Related terms: opinion mining, subjectivity detection, polarity classification. Explanation: Although not a typical welding task, sentiment analysis can be applied to operator logs to detect frustration or fatigue that may precede safety incidents. Example: A log entry “The torch keeps overheating – this is exhausting” is

classified as negative sentiment, prompting a supervisor alert. Practical application: Early warning system for human factors in high-risk welding environments. Challenges: Limited training data for safety-oriented sentiment, and distinguishing technical complaints from genuine safety concerns.

Sequence-to-Sequence (Seq2Seq) Modeling – Concept: Neural networks that map an input sequence to an output sequence, often using encoder-decoder structures. Related terms: translation, summarization, paraphrase generation. Explanation: Seq2Seq can convert informal spoken commands into formal CNC code. Example: Input “Make the bead wider by two millimeters” yields output “OFFSET WIDTH +2”. Practical application: Reduces the cognitive load on operators who can speak naturally while the system generates precise machine instructions. Challenges: Maintaining syntactic correctness in the generated code; errors can have safety implications.

Speech-to-Text (STT) Engine – Concept: Software that transforms audio signals into textual transcriptions. Related terms: ASR, voice recognition, acoustic model. Explanation: In welding, the STT engine must handle high-frequency background noise and domain-specific vocabulary. Example: A robust STT model outputs “set current to one hundred amps” with a latency under 200 ms. Practical application: Enables real-time voice control of welding robots. Challenges: Acoustic interference from metal impacts, reverberation in large bays, and the need for on-device processing to avoid network latency.

Syntax Parsing (Dependency) – Concept: Analyzing grammatical structure to identify relationships between words (head-dependent pairs). Related terms: dependency tree, graph parsing, head-dependent. Explanation: Dependency parsing clarifies command hierarchy, e.G., In “Increase the torch angle to 70 degrees”, “Increase” is the root verb, “angle” is the direct object, and “to 70 degrees” is a modifier. Example: The parsed tree guides the controller to adjust the angle parameter rather than the feed speed. Practical application: Improves robustness of command interpretation, especially for multi-step instructions. Challenges: Parsing errors increase with fragmented speech or incomplete sentences common in noisy shop floors.

Tokenization – Concept: Splitting raw text into individual units (tokens) such as words, numbers, or symbols. Related terms: word segmentation, sub-word units, byte-pair encoding. Explanation: Accurate tokenization is critical for welding terms that contain hyphens or slashes, e.G., “MIG-GMAW” or “Ti-6Al-4V”. Example: A custom tokenizer treats “Ti-6Al-4V” as a single token to preserve material identity. Practical application: Prevents mis-interpretation of composite terms during model training. Challenges: Balancing granularity; overly fine tokenization can inflate vocabulary size, while overly coarse tokenization may lose semantic nuance.

Transfer Learning – Concept: Leveraging knowledge from a source task to improve performance on a target task. Related terms: pre-training, domain adaptation, knowledge transfer. Explanation: A language model trained on a large corpus of engineering papers can be transferred to welding-specific tasks, reducing required annotation effort. Example: The transferred model achieves 85 % accuracy on weld-parameter intent detection after fine-tuning on only 500 examples. Practical application: Accelerates deployment of AI assistants in new welding facilities. Challenges: Identifying which layers to freeze, and ensuring transferred knowledge does not introduce biases from unrelated domains.

Universal Dependencies (UD) – Concept: A cross-lingual framework for consistent grammatical annotation. Related terms: dependency parsing, treebank, syntactic annotation. Explanation: Using UD, welding manuals in multiple languages can be parsed with a shared set of grammatical relations, facilitating multilingual NLP applications. Example: The English sentence “Set voltage to 24V” and its German counterpart “Spannung auf 24V einstellen” both generate comparable dependency structures. Practical application: Supports cross-language retrieval of welding standards. Challenges: Extending UD guidelines to capture welding-specific constructions that are not present in general corpora.

Word Embedding – Concept: Dense vector representations of words learned from large text corpora, capturing semantic similarity. Related terms: Word2Vec, GloVe, embedding space. Explanation: In a welding corpus, embeddings place “amperage” near “current” and “voltage” near “potential”. Example: Cosine similarity between “pre-heat” and “pre-heat” is 1.0, While similarity between “pre-heat” and “post-heat” is 0.78, Reflecting related but distinct concepts. Practical application: Enables fuzzy matching for user commands that differ slightly from the training set. Challenges: Rare technical terms may have poor embeddings unless the corpus is sufficiently large.

Zero-Shot Learning (ZSL) – Concept: Enabling a model to handle classes it has never seen during training by leveraging semantic descriptions. Related terms: semantic embedding, attribute-based classification, generalized ZSL. Explanation: A welding NLP system can recognize a new intent “activate spray-arc mode” by interpreting the textual description of the mode, even if no labeled examples exist. Example: The model maps “spray-arc” to a semantic vector that aligns with existing “arc-mode” vectors, allowing correct classification. Practical application: Future-proofs the system against emerging welding technologies. Challenges: Requires high-quality textual descriptors and robust semantic alignment to avoid misclassifications.

Bidirectional RNN (BiRNN) – Concept: Recurrent neural network that processes sequences in both forward and backward directions. Related terms: LSTM, GRU, sequence modeling. Explanation: For welding transcripts, a BiRNN captures context before and after a token, improving disambiguation of terms like “torch” (noun vs verb). Example: In the sentence “Torch the weld”, the backward pass helps the model understand that “torch” is a verb meaning “apply the torch”. Practical application: Enhances accuracy of intent detection in noisy speech. Challenges: Higher computational cost compared to unidirectional models; may still struggle with long-range dependencies.

Contextualized Embedding – Concept: Word representations that vary depending on the surrounding text. Related terms: dynamic embedding, ELMO, transformer. Explanation: The term “feed” in “wire feed speed” receives a different vector from “feed the torch”, reflecting distinct meanings. Example: A contextual model assigns a higher attention weight to “speed” when the surrounding phrase includes “wire”. Practical application: Reduces false positives in entity extraction for welding parameters. Challenges: Requires large, diverse training data to learn subtle context shifts.

Domain-Specific Corpus Creation – Concept: The systematic collection, cleaning, and organization of texts focused on a particular field. Related terms: data harvesting, text normalization, curation. Explanation: For welding NLP, engineers compile standards, procedure sheets, safety bulletins, and operator logs into a unified corpus. Example: A pipeline scrapes PDFs from the AWS website, converts them to plain text, and

tags sections by type (e.G., "Welding Procedure Specification"). Practical application: Provides the foundation for all downstream NLP tasks. Challenges: Handling varied document formats, ensuring copyright compliance, and dealing with OCR errors in scanned legacy manuals.

**Entity Linking – Concept:** Connecting recognized entities to entries in a knowledge base or ontology. **Related terms:** disambiguation, knowledge base alignment, URI mapping. **Explanation:** After NER identifies "AISI 304", entity linking resolves it to a unique identifier in the material ontology. Example: "AISI 304" → Material:304 (URI). **Practical application:** Enables precise retrieval of material properties (thermal conductivity, melting point) for process planning. **Challenges:** Ambiguous abbreviations ("304" could refer to a temperature) require robust context analysis.

**Fuzzy Matching – Concept:** Approximate string matching that tolerates minor differences, such as misspellings or variations. **Related terms:** Levenshtein distance, approximate search, soundex. **Explanation:** When a welder says "set amperage to ten hundred amps", fuzzy matching helps map "ten hundred" to "1000". Example: The system matches "amperage" with "ampere" despite the extra "e". **Practical application:** Increases tolerance to speech recognition errors and informal phrasing. **Challenges:** Over-matching can produce false positives; thresholds must be tuned for the welding domain.

**Grammar-Based Parsing – Concept:** Using a formal grammar (e.G., CFG) to parse sentences into hierarchical structures. **Related terms:** syntactic rules, parse tree, LL(k). **Explanation:** A handcrafted grammar for welding commands defines permissible sequences like \*Verb\* + \*Parameter\* + \*Value\*. Example: The rule "SET → Verb Parameter Value" parses "Set voltage 24 V". **Practical application:** Guarantees syntactic correctness for safety-critical commands. **Challenges:** Maintaining the grammar as new processes emerge; limited flexibility compared to data-driven parsers.

**Hybrid NLP System – Concept:** Combining rule-based and statistical or neural components to leverage strengths of both. **Related terms:** ensemble, pipeline architecture, symbolic-statistical integration. **Explanation:** In welding, a hybrid system may use a rule-based parser for safety-critical commands and a neural intent classifier for free-form queries. Example: "Emergency stop" triggers a hard-coded rule that immediately cuts power, while "What is the recommended travel speed?" is handled by a neural QA module. **Practical application:** Balances reliability with flexibility. **Challenges:** Ensuring seamless handoff between components and avoiding contradictory outputs.

**Input Normalization – Concept:** Standardizing raw textual input to a consistent format before processing. **Related terms:** lowercasing, unit conversion, canonicalization. **Explanation:** Welding commands often contain mixed units (mm, in, °C). Normalization converts "ten millimetres" to "10 mm" and "°C" to a standard internal representation. Example: The phrase "increase current by twenty amps" becomes "increase\_current +20 A". **Practical application:** Simplifies downstream parsing and reduces errors caused by unit mismatches. **Challenges:** Detecting implicit units and handling regional variations (e.G., "Mm" vs "mil").

**Joint Intent-Slot Modeling – Concept:** Simultaneously predicting the overall command intent and extracting associated parameters (slots). **Related terms:** slot filling, semantic parsing, multi-task learning. **Explanation:** A single model outputs both "parameter\_adjustment" and a dictionary of slots like {"amperage": "150 A", "mode": "Pulsed"}. Example: Input "Switch to pulsed mode at 150 amps" yields intent "process\_switch" with

slots {mode: Pulsed, amperage: 150A}. Practical application: Reduces latency by avoiding separate intent and slot stages. Challenges: Imbalanced slot distributions can bias the model; rare slot combinations need data augmentation.

Knowledge Distillation – Concept: Transferring knowledge from a large “teacher” model to a smaller “student” model. Related terms: model compression, teacher-student training, soft targets. Explanation: A heavy transformer trained on the full welding corpus can teach a lightweight model suitable for on-edge deployment on a welding robot controller. Example: The student model achieves 90% of the teacher’s accuracy while using 30% of the memory. Practical application: Enables real-time inference on low-power hardware. Challenges: Maintaining performance on rare technical terms during compression.

Lexicon Expansion – Concept: Growing the set of recognized words or phrases, especially domain-specific tokens. Related terms: vocabulary growth, term extraction, dictionary update. Explanation: As new welding technologies emerge, the lexicon must incorporate terms like “friction stir welding” or “laser-assisted GMAW”. Example: Automated term extraction from recent conference papers adds 250 new entries to the welding lexicon. Practical application: Keeps NLP models current without full retraining. Challenges: Avoiding inclusion of noisy or irrelevant terms; ensuring new entries receive appropriate embedding vectors.

Multi-Modal Fusion – Concept: Combining information from different sensory modalities (e.g., Text, audio, visual) into a unified representation. Related terms: sensor fusion, cross-modal attention, joint embedding. Explanation: A welding assistant may fuse spoken commands, camera images of the joint, and temperature sensor readings to decide on parameter adjustments. Example: The system receives the voice command “increase speed”, sees a visual cue of a narrow gap, and raises speed only within safe limits. Practical application: Improves decision robustness by cross-checking modalities. Challenges: Synchronizing data streams with different latencies and handling missing modalities.

Neural Machine Translation (NMT) for Standards – Concept: Applying deep learning models to translate welding standards between languages while preserving technical precision. Related terms: seq2seq, attention mechanism, domain-fine-tuning. Explanation: An NMT model trained on a bilingual corpus of welding manuals learns to translate terms like “root pass” accurately. Example: The English phrase “Root pass should be 100% penetration” translates to Korean with correct technical terminology. Practical application: Facilitates global compliance and training. Challenges: Rare abbreviations (e.g., “WPS”) may be mistranslated; post-editing by subject-matter experts remains essential.

Ontology Alignment – Concept: Mapping concepts from two or more ontologies to create a unified semantic framework. Related terms: schema matching, semantic integration, concept mapping. Explanation: A manufacturer’s internal material ontology may need to align with the ISO welding ontology for interoperability. Example: Aligning “StainlessSteel304” (internal) with “AISI\_304” (ISO) enables seamless data exchange. Practical application: Supports multi-vendor integration in collaborative welding projects. Challenges: Dealing with differing granularity levels and naming conventions; automated alignment algorithms often need human validation.

Prompt Engineering – Concept: Designing input prompts that guide large language models (LLMs) to

produce desired outputs. Related terms: few-shot prompting, instruction tuning, template design.

Explanation: To generate a welding procedure, a prompt may include the material, joint type, and required strength, followed by "Write the step-by-step procedure". Example: Prompt: "Material: Ti-6Al-4V; Joint: Butt; Strength: 400 MPa. Generate a GMAW procedure." The LLM outputs a coherent set of steps. Practical application: Rapidly drafts documentation for new projects. Challenges: Controlling hallucination (fabricating nonexistent standards) and ensuring outputs comply with regulatory constraints.

Quantitative Evaluation Metrics – Concept: Numerical measures used to assess model performance.